# wastenotIOWA, Inc.

# Waste Not with Plasma Arc


Charlie Kress


### Municipal Solid Waste (MSW)

- U S Annually Produces 230 Million Tons of MSW
  - 30% is Recycled (About 45% in Linn County)
  - 14% is Incinerated
  - 56%, or About 130 Million Tons, is Landfilled
- Energy Act of 2005 Recognizes MSW as a Renewable Energy Source
  - Energy in U. S. Solid Waste is Nearly 10 Times That Available From Wind Power
- Environmental Impact of Landfills
  - Second Largest Human Contribution To Methane in Atmosphere Hazardous Materials Leach Into Surrounding Land & Water Sources

  - If Incineration, Fly/Bottom Ash is a Problem







# Plasma Torch A Mature Technology

• Late 1800's: Plasma Arc Heater Developed For Metal Industry

• Early 1900's: Plasma Heaters Used In The Chemical Industry

• 1950's: Plasma Arc Cutting & Welding

• 1960's: Used To Simulate Heat Of Spacecraft Re-entry • 1990's: Plasma Arc Utilized In Steel Mill Operations

• 1991: Plasma Research Facility Founded at Georgia Tech


• 1998: Plasma Municipal Solid Waste Plant Operational In Japan


• Today: Used in Industrial Plants Worldwide


Chemical Industry

Metallurgical Industry

- Waste/Environment Industry








	1	1		
Emission Parameter	Units	U.S. EPA Limits	Europeon Union Limits	From Plasma Reactor
Dioxins/Furans	NgTEQ/dscm	0.2	0.1	<0.05
Particulates	Mg/dscm	34	20	<10
HCL Gas	ppmv	15	7	4
NOx Gas	ppmv	103	159	80
SO2 Gas	ppmv	3.1	10	2

Plasma Reactor Slag Leachability						
		Permissible Concentration Metal (mg/l)	Plasma Treatment Measured Concentration (mg/l)			
	Arsenic	5.0	<0.1			
	Barium	100.0	<0.5			
	Cadmium	1.0	<0.02			
	Chromium	5.0	<0.2			
	Lead	5.0	<0.2			
	Mercury	0.2	<0.01			
	Selenium	1.0	<0.1			
	Silver	5.0	<0.5			
The US			tion Agency plasma slag			

# Plasma Arc Technology: Ideal For Waste Treatment • Waste Exposed To Plasma Heated To >2,000°C • Inorganic Material Melted/Vitrified Into Reusable Inert Glass-Like Slag • Organic Compounds Dissociated Into Simple Molecules - Hydrogen - Carbon Monoxide - Carbon Dioxide - Water Vapor - Nitrogen - Methane • The Key is High Temperature & Oxygen-Starved Chamber











# Some Locations Considering Plasma for MSW Ottawa, Canada St. Lucie County, Florida International Falls, Minnesota Hartford, Connecticut Superior, Wisconsin Honolulu, Hawaii










### St. Lucie County Project: Some Details


- Requirements
  - 2000 Tons/per/Day of New Solid Waste plus
  - 1000 Tons/per/Day of Existing Landfill Remediation
  - Stated Treatment Cost of \$32/ton for Solid Waste
- Geoplasma Will:
  - Finance The Development (Cost: Approximately \$425 Million)
  - Build The Facility
  - Own The Facility
  - Operate The Facility for Profit
- Contract is in Final Negotiation
- Planned Plant Completion is 2009

### St. Lucie Project Team

- Geoplasma
- Westinghouse Plasma Corporation
- Energy Systems Group
- New Prospect Capital, LLC
- UBS
- Georgia Tech Research Institute
- Holland & Knight, LLP
- Edelman MACTEC Engineering and Consulting, Inc.


### A Powerful Team!!






### Another Option:

Combining Plasma MSW Treatment
With
A Coal-Fired Plant







### wastenotIOWA, Inc.

### **Contacts**

 Dennis Naughton
 dennis@xwires.net
 319.631.2110

 Ed Mulholland
 emulholland16@mchsi.com
 319.899.4207

 Charlie Kress
 chaskress@mchsi.com
 319.377.5055

 Dow Prouty
 DowProuty@msn.com
 319.393.6672

# Thank You!